

Bibliography

Impact of Helicopter Transport on Reperfusion Times and Long-Term Outcomes in Acute Myocardial Infarction Patients in Rural Areas: A Report From the Mie Acute Coronary Syndrome Registry. Ishiyama M, Kurita T, Takasaki A, Takamura T, Masuda J, Ishikura K, Seko T, Setsuda M, **Kasai A**, Imai H, Dohi K. Air Med J. 2021 Sep-Oct;40(5):337-343.

Patent foramen ovale and the platypnea-orthodeoxia syndrome detected by transesophageal echocardiography. Mori T, Takamura T, Yamagishi H, Iwamoto K, Unno K, Seko T, **Kasai A**. J Echocardiogr. 2021 Sep;19(3):179-180.

U-Shaped Intrapericardial Chronic Expanding Hematoma Due to Blunt Chest Trauma. Ito H, Okamoto R, Inagaki M, Seko T, **Kasai A**, Tokui T, Ito M, Dohi K. Circ Cardiovasc Imaging. 2021 Feb;14(2):e011176.

Remote Management of Pacemaker Patients With Biennial In-Clinic Evaluation: Continuous Home Monitoring in the Japanese At-Home Study: A Randomized Clinical Trial. Watanabe E, Yamazaki F, Goto T, Asai T, Yamamoto T, Hirooka K, Sato T, **Kasai A**, Ueda M, Yamakawa T, Ueda Y, Yamamoto K, Tokunaga T, Sugai Y, Tanaka K, Hiramatsu S, Arakawa T, Schrader J, Varma N, Ando K. Circ Arrhythm Electrophysiol. 2020 May;13(5):e007734, 418-426.

Successful bailout of Sapien 3 valve balloon rupture during transcatheter valve implantation via transaortic approach. Takamura T, Inoue R, Seko T, Tokui T, **Kasai A**, Ito M. Cardiovasc Interv Ther. 2020 Oct;35(4):415-416.

A Decision Tree-Based Survival Analysis of Patients with a History of Inappropriate Implantable Cardioverter-Defibrillator Therapy. Yamamoto M, Okajima K, Shimane A, Ozawa T, Morishima I, Asai T, Takagi M, **Kasai A**, Fujii E, Kiyono K, Watanabe E, Ozaki Y. Int Heart J. 2019 Mar 20;60(2):318-326.

Inappropriate implantable cardioverter defibrillator shocks-incidence, effect, and implications for driver licensing. Watanabe E, Okajima K, Shimane A, Ozawa T, Manaka T, Morishima I, Asai T, Takagi M, Honda T, **Kasai A**, Fujii E, Yamashiro K, Kohno R, Abe H, Noda T, Kurita T, Watanabe S, Ohmori H, Nitta T, Aizawa Y, Kiyono K, Okumura K. J Interv Card Electrophysiol. 2017 Sep;49(3):271-280.

Beat-to-beat T-wave amplitude variability in the risk stratification of right ventricular outflow tract-premature ventricular complex patients. Ichikawa T, Sobue Y, **Kasai A**, Kiyono K, Hayano J, Yamamoto M, Okuda K, Watanabe E, Ozaki Y. Europace. 2016 Jan;18(1):138-45.

Does T wave inversion in lead aVL predict mid-segment left anterior descending lesions in acute coronary syndrome? A retrospective study. Nakanishi N, Goto T, Ikeda T, **Kasai A**. BMJ Open. 2016 Feb 1;6(2):e010268.

Prognostic value of serum parathyroid hormone level in acute decompensated heart failure. Sugimoto T, Dohi K, Onishi K, Yamada T, Horiguchi M, Takamura T, Kawamura A, Seko T, Nakamura M, **Kasai A**, Ito M. Circ J. 2014;78(11):2704-10.

Reliability of implantable cardioverter defibrillator home monitoring in forecasting the need for regular office visits, and patient perspective. Japanese HOME-ICD study. Watanabe E, **Kasai A**, Fujii E, Yamashiro K, Brugada P. *Circ J*. 2013;77(11):2704-11.

Intra-aortic balloon pump induced dynamic left ventricular outflow tract obstruction and cardiogenic shock after very late stent thrombosis in the left anterior descending coronary artery. Takamura T, Dohi K, Satomi A, Mori K, Moriwaki K, Sugimoto T, Horiguchi M, Sakabe S, Kawamura A, Seko T, **Kasai A**, Ito M. *J Cardiol Cases*. 2012 Aug 9;6(5):e137-e140.

Ischemia-induced Brugada-type ST-segment alternans and Brugada syndrome. Omichi C, Fujimoto N, Kawasaki A, **Kasai A**. *Int J Cardiol*. 2010 Oct 29;144(3):429-30.

Synergistic effects of cardiac resynchronization therapy and Bachmann's bundle pacing on heart failure with atrial tachyarrhythmias. Omichi C, Kawasaki A, **Kasai A**. *Cardiol J*. 2009;16(4):358-61.

Advanced atrioventricular block induced by obstructive sleep apnea before oxygen desaturation. Maeno K, **Kasai A**, Setsuda M, Nishiyama A, Sakabe S, Ohnishi T, Saito K, Nishikawa H. *Heart Vessels*. 2009 May;24(3):236-40.

Effects of right atrial pacing preference in prevention of paroxysmal atrial fibrillation: Atrial Pacing Preference study (APP study). Ogawa H, Ishikawa T, Matsushita K, Matsumoto K, Ishigami T, Sugano T, Uchino K, Umemura S, Sumita S, Kimura K, Nakagawa T, Shimizu M, Nishikawa H, **Kasai A**, Kioka Y. *Circ J*. 2008 May;72(5):700-4.

A case of clover-shaped left ventricular non-compaction. Kurita T, Onishi K, Ogawa T, **Kasai A**, Sakuma H, Ito M. *Eur Heart J*. 2008 Feb;29(4):569.

Changes in autonomic nervous activity after catheter ablation of atrial tachycardia arising from the atrioventricular annulus. Kongo M, Fujii E, Matsuoka K, Uchida F, Okubo S, **Kasai A**, Omichi C, Isaka N, Nakano T. *Pacing Clin Electrophysiol*. 2005 Jan;28 Suppl 1:S237-41.

Effect of left atrial-coronary sinus musculature connections on the coronary sinus activation pattern via retrograde conduction in patients with WPW syndrome. Uchida F, Fujii E, Matsuoka K, Okubo S, **Kasai A**, Omichi C, Nakano T. *J Interv Card Electrophysiol*. 2004 Feb;10(1):59-64.

Evaluation of the arrhythmogenicity of stress-induced "Takotsubo cardiomyopathy" from the time course of the 12-lead surface electrocardiogram. Matsuoka K, Okubo S, Fujii E, Uchida F, **Kasai A**, Aoki T, Makino K, Omichi C, Fujimoto N, Ohta S, Sawai T, Nakano T. *Am J Cardiol*. 2003 Jul 15;92(2):230-3

Idiopathic left ventricular aneurysm associated with pleomorphic ventricular tachycardia: a case report. Uchida F, Fujii E, Matsuoka K, Okubo S, **Kasai A**, Omichi C, Nakano T. *J Cardiol*. 2002 Dec;40(6):275-82.

Radiofrequency catheter ablation for intra-atrial reentrant tachycardia after surgery of atrial septal defect: use of isopotential mapping (QMS system) to demonstrate bidirectional complete block. Uchida F, **Kasai A**, Fujii E, Matsuoka K, Okubo S, Teramura S, Nakano T. J Interv Card Electrophysiol. 2002 Feb;6(1):59-66.

Electrophysiological features of atrial tachycardia arising from the atrioventricular annulus. Matsuoka K, **Kasai A**, Fujii E, Omichi C, Okubo S, Teramura S, Uchida F, Nakano T. Pacing Clin Electrophysiol. 2002 Apr;25(4 Pt 1):440-5

Myocardial connections between left atrial myocardium and coronary sinus musculature in man. **Kasai A**, Anselme F, Saoudi N. J Cardiovasc Electrophysiol. 2001 Sep;12(9):981-5

Comparison of effectiveness of an 8-mm versus a 4-mm tip electrode catheter for radiofrequency ablation of typical atrial flutter. **Kasai A**, Anselme F, Teo WS, Cribier A, Saoudi N. Am J Cardiol. 2000 Nov 1;86(9):1029-32, A10.

Electrophysiological determinants of persistent dual atrioventricular nodal pathway physiology after slow pathway ablation in atrioventricular nodal reentrant tachycardia. Fujii E, **Kasai A**, Omichi C, Matsuoka K, Teramura S, Uchida F, Nakano T. Pacing Clin Electrophysiol. 2000 Nov;23(11 Pt 2):1916-20.

Postoperative tachycardia with a P wave identical to that of sinus rhythm: what is tachycardia mechanism? **Kasai A**, Anselme F, Cribier A, Saoudi N. J Cardiovasc Electrophysiol. 2000 Jul;11(7):823-4.

Shortening of conduction time over arborized atrioventricular accessory pathway with Mahaim fibers physiology just before interruption during radiofrequency ablation. Uchida F, **Kasai A**, Omichi C, Fujii E, Teramura S, Nakano T. Jpn Circ J. 2000 Feb;64(2):151-5.

Effect of radiofrequency catheter ablation on parasympathetic denervation: a comparison of three different ablation sites. Uchida F, **Kasai A**, Omichi C, Fujii E, Teramura S, Yasuda M, Nakano T. Pacing Clin Electrophysiol. 1998 Nov;21(11 Pt 2):2517-21.

Electrophysiological characteristics during slow pathway ablation of posterior atrioventricular junctional reentrant tachycardia. Fujii E, **Kasai A**, Omichi C, Teramura S, Yasuda M, Uchida F, Nakano T. Pacing Clin Electrophysiol. 1998 Nov;21(11 Pt 2):2510-6.

Exercise-induced coronary spasm: comparison of treadmill and bicycle exercise in patients with vasospastic angina. Yamakado T, **Kasai A**, Masuda T, Futagami Y, Kawasaki A, Zhang Y, Nakano T. Coron Artery Dis. 1996 Nov;7(11):819-22.

Effects of sublingually administered nifedipine on left ventricular isovolumic relaxation, diastolic filling, and distensibility in patients with chronic coronary artery disease. Yamakado T, Murayama S, Hiraoka N, Onishi T, **Kasai A**, Ueda K, Hamada M, Nakano T. Am Heart J. 1992 Sep;124(3):595-602.

Exercise-induced ST segment shift in vasospastic angina with special reference to comparisons between treadmill and bicycle ergometer exercise testings. **Kasai A**, Yamakado T, Masuda T, Aoki T, Futagami Y, Hamada M, Nakano T. J Cardiol. 1991;21(2):215-20.

Clinical evaluation of severe idiopathic tricuspid regurgitation. **Kasai A**, Nishikawa H, Ono N, Unno M, Kakuta Y, Hamada M, Nakano T. J Cardiol. 1990;20(4):937-44.